

# chemical solutions ltd.

trace elemental analysis

## Analytical Report

February 11, 2015

Stephanie Ray  
BioRay, Inc.  
23172 Alcalde Drive, Suite B  
Laguna Hills, CA 92653

Page 1 of 1  
WO Number: W15B0317

Client: BioRay, Inc.  
Client #: B4672  
Sample Type: Liquid Product-Mass  
Collector: Client


Customer PO: 1402  
Date Received: 2/9/2015  
Date Completed: 02/11/2015  
Discard Date: 02/25/2015

CSL# 15B0747

Artemisia & Clove - Lot#: 011515

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	02/10/15	HG
Cadmium	<0.25 ug/g	0.25	ICP MS	02/10/15	HG
Chromium	<0.5 ug/g	0.5	ICP MS/KED	02/11/15	CK
Lead	<0.05 ug/g	0.05	ICP MS	02/10/15	EM
Mercury	<0.1 ug/g	0.1	ICP MS	02/10/15	HG

Respectfully Submitted,  
Chemical Solutions, Ltd.



Jessica Fultz  
Quality Assurance Officer

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.

This report can only be reproduced in full.

The units for the PQL are the same as those shown for the result.