

# chemical solutions ltd.

trace elemental analysis

## Analytical Report

May 27, 2015

Stephanie Ray  
BioRay, Inc.  
23172 Alcalde Drive, Suite B  
Laguna Hills, CA 92653

Page 1 of 1  
WO Number: W15E0260


Client: BioRay, Inc.  
Client #: B4672  
Sample Type: Liquid Product-Mass  
Collector: Client

Customer PO: 1423  
Date Received: 5/7/2015  
Date Completed: 05/26/2015  
Discard Date: 06/10/2015

CSL# 15E0653      Liver Life - Lot#: 031815

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	05/11/15	EM
Cadmium	<0.25 ug/g	0.25	ICP MS	05/11/15	EM
Chromium	<0.5 ug/g	0.5	ICP MS/KED	05/26/15	EM
Lead	<0.05 ug/g	0.05	ICP MS	05/11/15	EM
Mercury	<0.1 ug/g	0.1	ICP MS	05/11/15	EM

Respectfully Submitted,  
Chemical Solutions, Ltd.

  
Jessica Fultz  
Quality Assurance Officer

JWF  
5-27-15

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.  
This report can only be reproduced in full.  
The units for the PQL are the same as those shown for the result.