



PrimusLabs

2810 Industrial Parkway  
Santa María, CA 93455

- VOICE 805.922.0055
- FAX 805.922.2462
- EMAIL Primus@primuslabs.com
- www.primuslabs.com

# Microbiological Results

Customer: **Bioray, Inc**

Location: Laguna Hills - California

Sampled by: Customer - Stephanie Ray

Date Received: Jun 18, 2014

AuthorizationNumber	Sample Description	Type of Analysis	Method Used	Results
---------------------	--------------------	------------------	-------------	---------

LIVER LIFE  
Lot- 052014 EXP 05/19  
PO#: 1337

USM14.052285 -

E.Coli	Petrifilm	* NEGATIVE
TC	Petrifilm	< 10 est CFU/g
Listeria	USDA	Negative
Pseudomonas		< 10 est CFU/g
Salmonella	AOAC 2009.03	Negative
S. aureus	Petrifilm	< 10 est CFU/g
Yeast	FDA/BAM	< 10 est CFU/g
Mold	FDA/BAM	< 10 est CFU/g

CFU = Colony Forming Unit MPN = Most Probable Number L. mono = Listeria monocytogenes  
E.Coli = Escherichia coli TPC = Total Plate Count TC = Total Coliform

\* Negative for E.Coli = < 10 est CFU/g \*\* Negative for E.Coli = < 1 est CFU/ml \*\*\* Negative for E.Coli = < 1 est CFU/50 sq cm \*\*\*\* Negative for E.Coli = < 100 est CFU/sq m

Approved by: **Ryan Morrow**

Analyst

Date Approved:

**Jun 25, 2014**