

chemical solutions ltd.

trace elemental analysis

Analytical Report

February 11, 2015

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W15B0317


Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1402
Date Received: 2/9/2015
Date Completed: 02/11/2015
Discard Date: 02/25/2015

CSL# 15B0745 Red Rooster - Lot#: 011215

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	02/10/15	HG
Cadmium	<0.25 ug/g	0.25	ICP MS	02/10/15	HG
Chromium	<0.5 ug/g	0.5	ICP MS/KED	02/11/15	CK
Lead	<0.05 ug/g	0.05	ICP MS	02/10/15	EM
Mercury	<0.1 ug/g	0.1	ICP MS	02/10/15	HG

Respectfully Submitted,
Chemical Solutions, Ltd.



2.11.15
Jessica Fultz
Quality Assurance Officer

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.