



chemical solutions ltd.

trace elemental analysis

Analytical Report

October 28, 2015

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W15J0786

Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1494
Date Received: 10/22/2015
Date Completed: 10/27/2015
Discard Date: 11/11/2015

CSL# 15J1977 After The Flow - Lot#: 092815

| Parameter | Result | PQL | Method | Date | Analyst |
|-----------|------------|------|------------|----------|---------|
| Arsenic | <0.5 ug/g | 0.5 | ICP MS | 10/23/15 | CC |
| Cadmium | <0.25 ug/g | 0.25 | ICP MS | 10/23/15 | CC |
| Chromium | <0.5 ug/g | 0.5 | ICP MS/KED | 10/27/15 | CC |
| Lead | <0.05 ug/g | 0.05 | ICP MS | 10/23/15 | HD |
| Mercury | <0.1 ug/g | 0.1 | ICP MS | 10/23/15 | CC |

Respectfully Submitted,
Chemical Solutions, Ltd.

Alrigail Walke 10/28/15
QA Representative

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.