



chemical solutions ltd.[®]

trace elemental analysis

Analytical Report

May 18, 2018

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W18E0625

Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1811
Date Received: 5/15/2018
Date Completed: 05/18/2018
Discard Date: 06/01/2018

CSL#: 18E1584 **Artemisia & Clove - Lot#: 042518**

| Parameter | Result | PQL | Method | Date | Analyst |
|-----------|-------------|-------|------------|----------|---------|
| Arsenic | <0.50 ug/g | 0.50 | ICP MS | 05/16/18 | EM |
| Cadmium | <0.25 ug/g | 0.25 | ICP MS | 05/16/18 | EM |
| Chromium | <0.50 ug/g | 0.50 | ICP MS/KED | 05/17/18 | RBP |
| Lead | <0.050 ug/g | 0.050 | ICP MS | 05/17/18 | EM |
| Mercury | <0.10 ug/g | 0.10 | ICP MS | 05/16/18 | EM |

Respectfully Submitted,
Chemical Solutions, Ltd.

QA Representative

Mercedes Naugle
Reviewed and Approved
May 18 2018 02:53 PM

cosign

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.