



Analytical Report
June 18, 2018

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W18F0482

Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1830
Date Received: 6/13/2018
Date Completed: 06/18/2018
Discard Date: 07/02/2018

CSL#: 18F1192 Good To Go - Lot#: 052118

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS	06/14/18	JTP
Cadmium	<0.25 ug/g	0.25	ICP MS	06/14/18	JTP
Chromium	<0.50 ug/g	0.50	ICP MS/KED	06/18/18	RBP
Lead	<0.050 ug/g	0.050	ICP MS	06/14/18	JTP
Mercury	0.14 ug/g	0.10	ICP MS	06/14/18	JTP

Respectfully Submitted,
Chemical Solutions, Ltd.

QA Representative

Joshua Reichert
Reviewed and Approved
Jun 18 2018 3:48 PM

cosign

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.