



chemical solutions ltd.[®]
trace elemental analysis

Analytical Report

March 7, 2017

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W17C0091

Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO:
Date Received: 3/2/2017
Date Completed: 03/06/2017
Discard Date: 03/21/2017

CSL#: 17C0290 Lady Passion Finished Product - Lot#: 010517

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	03/03/17	EM
Cadmium	<0.25 ug/g	0.25	ICP MS	03/03/17	EM
Chromium	<0.5 ug/g	0.5	ICP MS/KED	03/06/17	AW
Lead	<0.05 ug/g	0.05	ICP MS	03/03/17	HD
Mercury	<0.1 ug/g	0.1	ICP MS	03/03/17	EM

Respectfully Submitted,
Chemical Solutions, Ltd.

Mercedes Naugle
Reviewed and Approved
Mar 8 2017 10:59 AM

QA Representative

cosign

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.
This report can only be reproduced in full.
The units for the PQL are the same as those shown for the result.