

chemical solutions ltd.[®]

trace elemental analysis

Analytical Report

May 23, 2018

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W18E0790


Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1814
Date Received: 5/18/2018
Date Completed: 05/23/2018
Discard Date: 06/06/2018

CSL#: 18E2170 Liver Life - Lot#: 050818

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.50 ug/g	0.50	ICP MS	05/22/18	JTP
Cadmium	<0.25 ug/g	0.25	ICP MS	05/21/18	HG
Chromium	<0.50 ug/g	0.50	ICP MS/KED	05/22/18	JTP
Lead	<0.050 ug/g	0.050	ICP MS	05/21/18	HG
Mercury	0.14 ug/g	0.10	ICP MS	05/21/18	HG

Respectfully Submitted,
Chemical Solutions, Ltd.


QA Representative

Mercedes Naugle
Reviewed and Approved
May 23 2018 04:23 PM

cosign

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.

This report can only be reproduced in full.

The units for the PQL are the same as those shown for the result.