

**Analytical Report**  
April 17, 2017

Stephanie Ray  
BioRay, Inc.  
23172 Alcalde Drive, Suite B  
Laguna Hills, CA 92653

Page 1 of 1  
WO Number: W17D0471


Client: BioRay, Inc.  
Client #: B4672  
Sample Type: Liquid Product-Mass  
Collector: Client

Customer PO: 1658  
Date Received: 4/13/2017  
Date Completed: 04/17/2017  
Discard Date: 05/01/2017

**CSL#: 17D1180      Microbe Slayer - Lot#: 031317**

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	04/14/17	EM
Cadmium	<0.25 ug/g	0.25	ICP MS	04/14/17	EM
Chromium	<0.5 ug/g	0.5	ICP MS/KED	04/17/17	EM
Lead	<0.05 ug/g	0.05	ICP MS	04/14/17	EM
Mercury	<0.1 ug/g	0.1	ICP MS	04/14/17	EM

Respectfully Submitted,  
Chemical Solutions, Ltd.

  
QA Representative

Joshua Reichert  
Reviewed and Approved  
Apr 18 2017 10:42 AM

cosign

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.  
This report can only be reproduced in full.  
The units for the PQL are the same as those shown for the result.