



# CERTIFICATE OF ANALYSIS

**Date:** 10/22/2017  
**Product Name:** NDF Focus  
**Sizes:** 4 oz (180ml)  
**Composition:** Liquid

<b>Active Ingredients:</b>	<b>180 mg/ml</b>	<b>Harvest Status</b>	<b>Country of Origin</b>
Solomon Seal Root		Imported	China
Eleuthero Root		Certified Organic	China
Reishi Mushroom		Certified Organic	China
Polygonatum Root		Imported	China
Chinese Licorice Root		Certified Organic	China
Schizandra Berry		Certified Organic	China
Micronized Chlorella (NDF®)		Organically Grown	Japan
PolyFlor™ Probiotics		n/a	United States
Predigested Agaricus Blazei		Certified Organic	United States
Cordyceps		Certified Organic, Kosher	United States
Milk Thistle Seeds		Imported	Spain
Horsetail		Certified Organic	Hungary
Stevia Leaf		Imported	China
Cilantro		Certified Organic	United States

**Inactive Ingredients:** Vegetable Glycerin, Deionized Water, Natural Citrus Flavor, and Citric Acid.

**Color:** Light Brown  
**Appearance:** Opaque/Slightly Transparent  
**Taste:** Sweet/Citrus  
**Preservative:** Vegetable Glycerin (Alcohol Free)  
**Caution and Storage:** Store away from direct sunlight, excessive heat or cold.

**Lot Number:** 090117  
**Expiration Date:** 09/2022  
**Manufacturing Date:** 09/2017

**Allergens:** This product does not contain any milk, dairy, egg, fish, shellfish, tree nuts, peanuts, wheat, gluten or soy.

**GMO Statement:** No materials used to produce this product are derived from or contain any Genetically Modified Organisms (GMOs).

**Manufactured in the United States of America.**

<b>Microbial:</b>	<b>Test Attribute</b>	<b>Method</b>	<b>Result</b>
	E. Coli	Petrifilm	Negative (<10 est CFU/g)
	Listeria	AOAC-RI 060801	Negative
	Pseudomonas		<10 est CFU/g
	Salmonella	AOAC-RI 2013.01	Negative
	S. aureus	Petrifilm	<10 est CFU/g
	Total Coliform	Petrifilm	<10 est CFU/g
	Yeast & Mold	FDA/BAM	<10 est CFU/g

<b>Heavy Metals:</b>	<b>Test Attribute</b>	<b>Method</b>	<b>PQL</b>	<b>Result</b>
	Arsenic	ICP MS	0.5	<0.5 µg/g
	Cadmium	ICP MS	0.25	<0.25 µg/g
	Chromium	ICP MS/KED	0.5	<0.5 µg/g
	Lead	ICP MS	0.05	<0.05 µg/g
	Mercury	ICP MS	0.1	<0.1 µg/g

<b>Identity:</b>	<b>Test</b>	<b>Method</b>	<b>Result</b>
	Identity Test by NIR	USP 40 <1119>	Confirmed

Approved

  
 Stephanie Ray