



chemical solutions ltd.

trace elemental analysis

Analytical Report

October 8, 2015

Stephanie Ray
BioRay, Inc.
23172 Alcalde Drive, Suite B
Laguna Hills, CA 92653

Page 1 of 1
WO Number: W15J0160

Client: BioRay, Inc.
Client #: B4672
Sample Type: Liquid Product-Mass
Collector: Client

Customer PO: 1489
Date Received: 10/6/2015
Date Completed: 10/07/2015
Discard Date: 10/22/2015

CSL# 15J0476 NDF Mouth Rinse - Lot#: 091115

Parameter	Result	PQL	Method	Date	Analyst
Arsenic	<0.5 ug/g	0.5	ICP MS	10/07/15	KK
Cadmium	<0.25 ug/g	0.25	ICP MS	10/07/15	KK
Chromium	<0.5 ug/g	0.5	ICP MS/KED	10/07/15	EM
Lead	<0.05 ug/g	0.05	ICP MS	10/06/15	EM
Mercury	<0.1 ug/g	0.1	ICP MS	10/07/15	KK

Respectfully Submitted,
Chemical Solutions, Ltd.

Joseph M. Ellis 10.9.15
QA Representative

Notes:

CONFIDENTIAL REPORT. This report is confidential and is for the sole use of the addressee.

This report can only be reproduced in full.

The units for the PQL are the same as those shown for the result.