



PrimusLabs

2810 Industrial Parkway  
Santa María, CA 93455

- VOICE 805.922.0055
- FAX 805.922.2462
- EMAIL Primus@primuslabs.com
- www.primuslabs.com

# Microbiological Results

Customer: Bioray, Inc

Location: Laguna Hills - California

Sampled by: Customer

Date Received: May 31, 2017

| AuthorizationNumber | Sample Description  | Type of Analysis | Method Used       | Results        |
|---------------------|---|------------------|-------------------|----------------|
| USM17.074281        | Red Rooster<br>2 oz<br>Lot- LOT 042517 EXP 04/22<br>Product State- Finished Product<br>PO #: 1676 | E.Coli           | Petrifilm         | < 10 est CFU/g |
|                     |   | TC               | Petrifilm         | < 10 est CFU/g |
|                     |   | Listeria         | AOAC-RI<br>011201 | Negative       |
|                     |   | Salmonella       | AOAC-RI<br>041303 | Negative       |
|                     |   | S. aureus        | Petrifilm         | < 10 est CFU/g |
|                     |   | Yeast            | FDA/BAM           | < 10 est CFU/g |
|                     |   | Mold             | FDA/BAM           | < 10 est CFU/g |

CFU = Colony Forming Unit MPN = Most Probable Number L. mono = Listeria monocytogenes  
E.Coli = Escherichia coli TPC = Total Plate Count TC = Total Coliform

\* Negative for E.Coli = < 10 est CFU/g \*\* Negative for E.Coli = < 1 est CFU/ml \*\*\* Negative for E.Coli = < 1 est CFU/50 sq cm \*\*\*\* Negative for E.Coli = < 100 est CFU/sq m

Approved by: Ryan Morrow

Analyst

Date Approved:

Jun 07, 2017

Rev. 07/05